

GJD National Defense Authorization Act Compliance Statement

December 2020

Background

To address a perceived cybersecurity risk, an Interim Final Rule of the National Defense Authorization Act (NDAA) for the Fiscal Year 2019 was made effective on August 13, 2019. Section 889 contains the prohibition on certain telecommunications and video surveillance services or equipment from specific vendors. It also contains several provisions that have a major impact on existing and future US Government related video surveillance deployments. The NDAA ban also extends to other manufacturers in cases in which the video surveillance cameras or systems from the specified vendors are offered under another manufacturer's brand name typical of OEM, ODM and JDM relationships.

GJD Statement

- GJD is committed to providing NDAA Section 889 compliant products and does not have OEM, ODM and JDM relationships with the named vendors in the NDAA.
- The following GJD products which do not use or deploy critical components including SoCs produced by NDAA banned component vendors, are compliant with the NDAA. These products will be included in GJD's GSA contracts and are recommended for US Government applications that are subject to the NDAA.
- The GJD compliance product list will be regularly updated on GJD's website (<https://www.gjdusa.com/ndaa>).

GJD NDAA Compliance Product List

Product category	Models
GJD IP Detectors and Laser/Accessories	GJD230 D-TECT 2 IP Enabled Quad PIR 30m (98ft) Volumetric Motion Detector GJD250 D-TECT50 50m (164ft) x 10m (33ft) volumetric PIR Detector GJD261 D-TECT 3 IP Enabled Dual-Tech M/Wave + Quad PIR 30m (98ft) Volumetric Motion Detector GJD380 D-TECT Walk Tester GJD516 GJD IPA Board (IP Anything / IP Adaptor) GJD500 25m x 25m (82ft x 82ft) D-TECT Laser GJD501 Laser Programmer GJD511 Laser Bracket GJD513 Laser Spot Finder GJD304 D-TECT Conduit Adaptor GJD515 500m LaserWatch

	<p>GJD517 Laser Watch Bracket</p>
GJD Wired Detectors	<p>GJD090K Multispeech Kit, Multispeech board, PSU, weatherproof box and horn speaker</p> <p>GJD141 Pearl 12M (40ft) Curtain Beam detector, 10.525Ghz</p> <p>GJD149 Pearl Swivel Bracket</p> <p>GJD300 D-TECT2 30m (98ft) x 30m (82ft) volumetric PIR Detector</p> <p>GJD311 D-TECT3 30m (98ft) x 30m (82ft) volumetric Dual-Tech (PIR+m/wave 10.525GHz) Detector</p> <p>GJD350 D-TECT50 40m (164ft) x 10m (33ft) volumetric PIR Detector</p> <p>GJD370 D-TECT Pet Immune</p> <p>GJD630 D-TECT Universal</p> <p>GJD023 Elite 30m (98ft) PIR detector</p> <p>GJD360/25 D-TECT Dual Tech Anti-Mask USA 10.525GHz</p> <p>GS100 ATEX Infra-Red Beam</p>
GJD PoE and IP Illuminators	<p>IM-8-IP Medium Range 850nm IR LED Clarius IP Enabled PoE+ (.at) Illuminator</p> <p>IM-9-IP Medium Range 940nm IR LED Clarius IP Enabled PoE+ (.at) Illuminator</p> <p>VM-CW-IP Medium Range White Light LED Clarius IP Enabled PoE+ (.at) Illuminator</p> <p>IM-8-P Infra-Red Medium Range Clarius Plus PoE+ (.at) LED Illuminator (850nm)</p> <p>IM-9-P Infra-Red Medium Range Clarius Plus PoE+ (.at) LED Illuminator (940nm)</p> <p>VM-CW-P White -Light Medium Range Clarius Plus PoE+ (.at) LED Illuminator</p> <p>IS-8-P Infra-Red Small Range Clarius Plus PoE (.af) LED Illuminator (850nm)</p> <p>IS-9-P Infra-Red Small Range Clarius Plus PoE (.af) LED Illuminator (940nm)</p> <p>VS-CW-P White -Light Small Range Clarius Plus PoE (.af) LED Illuminator</p>
GJD Standard Illuminators/PSU's/Brackets	<p>IS-8 Infra-Red Small Range Clarius Plus, LED Illuminator (850nm)</p>

	<p>IS-9 Infra-Red Small Range Clarius Plus, LED Illuminator (940nm)</p> <p>IM-8 Infra-Red Medium Range Clarius Plus, LED Illuminator (850nm)</p> <p>IM-9 Infra-Red Medium Range Clarius Plus, LED Illuminator (940nm)</p> <p>IL-8 Infra-Red Long Range Clarius Plus, LED Illuminator (850nm)</p> <p>IL-9 Infra-Red Long Range Clarius Plus, LED Illuminator (940nm)</p> <p>IX-8 Infra-Red Extra-Long Range Clarius Plus, LED Illuminator (850nm)</p> <p>IX-9 Infra-Red Extra-Long Range Clarius Plus, LED Illuminator (940nm)</p> <p>VS-CW White -Light Small Range Clarius Plus, LED Illuminator</p> <p>VM-CW White -Light Medium Range Clarius Plus, LED Illuminator</p> <p>VL-CW White -Light long Range Clarius Plus, LED Illuminator</p> <p>VX-CW White -Light Extra-long Range Clarius Plus, LED Illuminator</p> <p>ALT-30-24 Power Supply Unit 24V 30W</p> <p>ALT-60-24 Power Supply Unit 24V 60W</p> <p>ALT-100-24 Power Supply Unit 24V 100W</p> <p>ALT-150-24 Power Supply Unit 24V 150W</p> <p>SMB1 Single Mounting Bracket</p> <p>DMB1 Double Mounting Bracket</p> <p>TMB1 Triple Mounting Bracket</p> <p>PMB1 Pole Mounting Bracket</p>
--	---



Keith Fenwick BSc (Hons) MSc
 Technical Director
 GJD manufacturing Ltd